### AC Filter 2-Stage



		See below: <b>Approvals and Co</b>	ompliances			
Description - Line-filter in standard version - 2 stage - high attenuation		<ul> <li>Characteristics</li> <li>Designed for increased requirements</li> <li>Protection against interference voltage from the mains Possible interferences generated in the equipment are strongly attenu- ated</li> <li>2-stage line filter with increased attenuation</li> <li>For standard and industrial applications</li> <li>Suitable for use in equipment according to IEC/UL 62368-1</li> </ul>				
						We recommend for new applications the type FMBB EP; FMBB NEO Weblinks pdf data sheet, html datasheet, General Product Information, Approvals, Distributor-Stock-Check, Detailed request for product, Microsite
		Technical Data				
Ratings IEC	2 - 6A @ Ta 40 °C / 250 VAC; 50 Hz	Line Filter	Standard version, IEC 60939, UL 1283,			
Ratings UL/CSA	2 - 6A @ Ta 40 °C / 125 VAC; 60 Hz		CSA C22.2 no. 8			
Leakage Current	standard < 0.5 mA (250 V / 60 Hz)		Technical Details			
Dielectric Strength	> 1.7 kVDC between L-N > 2.7 kVDC between L/N-PE Test voltage (2 sec)	MTBF	> 200'000 h acc. to MIL-HB-217 F			
Allowable Operation Tempe-	-25 °C to 100 °C					
rature						
Climatic Category	25/100/21 acc. to IEC 60068-1					
Protection Class	Suitable for appliances with protection class I acc. to IEC 61140					
Terminal	Quick connect terminals 6.3 x 0.8 mm					
Material	Nickel plated steel					

### **Approvals and Compliances**

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

### Approvals

The approval mark is used by the testing authorities to certify compliance with the safety requirements placed on electronic products. Approval Reference Type: FMW

Approval Logo	Certificates	Certification Body	Description
10	VDE Approvals	VDE	Certificate Number: 40004673
c <b>FL</b> us	UL Approvals	UL	UR File Number: E72928


## EMC Products | SCHURTER | 1 |

**FMW-52** 

# **FMW-52**

Product standard	s that are referenced		
Organization	Design	Standard	Description
IEC	Designed according to	IEC 60939	Passive filters for suppressing electromagnetic interference
ષ	Designed according to	UL 1283	Passive filters for suppressing electromagnetic interference
GE CSA Group	Designed according to	CSA C22.2 no. 8	Electromagnetic interference (EMI) filters
Application sta	ndards		
Application stand	ards where the product can be used		
Organization	Design	Standard	Description
<u>EC</u>	Suitable for applications acc.	IEC/UL 62368-1	Audio/video, information and communication technology equipment - Par 1: Safety requirements
Compliances The product com			
	plies with following Guide Lines		
Identification	plies with following Guide Lines Details	Initiator	Description
	-	<b>Initiator</b> SCHURTER AG	The CE marking declares that the product complies with the applicable
CE	Details		The CE marking declares that the product complies with the applicable requirements laid down in the harmonisation of Community legislation or its affixing in accordance with EU Regulation 765/2008.
Ľ€	Details CE declaration of conformity	SCHURTER AG	The CE marking declares that the product complies with the applicable requirements laid down in the harmonisation of Community legislation on its affixing in accordance with EU Regulation 765/2008. The UKCA marking declares that the product complies with the applicable requirements laid down in the British Amendment of Regulation (EC)
Identification C C LIK CA	Details CE declaration of conformity UKCA declaration of conformity	SCHURTER AG	The CE marking declares that the product complies with the applicable requirements laid down in the harmonisation of Community legislation on its affixing in accordance with EU Regulation 765/2008. The UKCA marking declares that the product complies with the applicable requirements laid down in the British Amendment of Regulation (EC) 765/2008.


Dimension [mm]



- - - - 50 $\Omega$  differential mode \_\_\_\_\_ 50 $\Omega$  common mode

### Diagrams


Standard version



2) Load

**Attenuation Loss** 





### All Variants

Rated Current [A]	Filter-Type	L [mH]	Cx (X2) [nF]	Cy (Y2) [nF]	<b>R [Μ</b> Ω]	Weight [g]	Housing	Order Number
2	Standard version	2 x 3	100	4.7	0.5	140 g	09	5500.2043
6	Standard version	2 x 0.8	100	2.2	0.5	140 g	09	5500.2044

Availability for all products can be searched real-time: https://www.schurter.com/en/info-center/support-tools/stock-check-distributors

Packaging unit

10 Pcs